

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



F.S.A.

SPRAYING OIL ADJUVANT

ACTIVE CONSTITUENTS:

582 g/L PARAFFINIC OIL

120 g/L NONYL PHENOL ETHOXYLATE

120 g/L ALCOHOL ETHOXYLATE

An adjuvated spraying oil to improve the wetting and spreading of herbicides, insecticides and defoliant on plant surfaces as per the directions for use table.

1000L



FOUR SEASONS
AGRIBUSINESS

DIRECTIONS FOR USE

Important: Prior to use read all directions on this label and on the label of the companion crop protection product. The product(s) label for specific usage and restrictions have precedence over directions for use referred to on this label.

F.S.A. Spraying Oil Adjuvant is compatible with a wide range of herbicides including:

Atrazine#, Eclipse Herbicide, Picloram/Triclopyr Herbicide, Fluroxypyr 200 Herbicide, Picloram/ 2,4-D Herbicide, Clethodim Herbicide, Fluazifop-p WG Herbicide, Haloxyfop, Flumetsulam Herbicide, Triclopyr 600 Herbicide, Clopyralid 750SG Herbicide, Topik 240EC Selective Herbicide, Quizalofop-p-ethyl Herbicide, Tralkoxydim Herbicide.

F.S.A. Spraying Oil Adjuvant is compatible with cotton defoliant products such as: Thidiazuron, Ethephon.

F.S.A. Spraying Oil Adjuvant is compatible with the insecticide Chlorpyrifos 300.

When mixing with atrazine water dispersible granule formulations, agitation is required.

SITUATION	CRITICAL COMMENTS
Broadacre cropping including fallow (except sugarcane)	Where specified use 500mL F.S.A. Spraying Oil Adjuvant /100L water applying a minimum of 250mL of F.S.A. Spraying Oil Adjuvant per hectare.
Sugarcane and cotton defoliation	Where specified use 1L F.S.A. Spraying Oil Adjuvant /100L water applying a minimum of 500mL of F.S.A. Spraying Oil Adjuvant per hectare.
Spot and High Volume Spraying	Where specified use 500mL F.S.A. Spraying Oil Adjuvant /100L water applying to point of run-off.
Horticulture	F.S.A. Spraying Oil Adjuvant with Haloxyfop 520 Herbicide for horticultural uses. Use 500mL F.S.A. Spraying Oil Adjuvant /100L water applying a minimum of 250mL F.S.A. Spraying Oil Adjuvant per hectare.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

Adhere to the withholding period(s) specified on the label of the companion product(s) used.

Mixing:

- These are general mixing instructions. Always follow the mixing instructions of each ingredient in the tank mix. Ensure product compatibility. Recommendations on other product labels always take precedence over mixing instructions on this label.
- Add water to the spray tank to 10cm above the level of agitation and ensure the agitation device is working vigorously. (There must be a minimum of 100L of water in the tank before any pesticide is added.)
- If tank mixing, use the following general order for mixing partners. First add water dispersible granules (eg Eclipse), second add flowable formulations (eg atrazine), third add emulsifiable concentrates (eg Fluroxypyr 200EC), fourth add water soluble liquids (eg Clopyralid 300 Herbicide) and last F.S.A. Spraying Oil Adjuvant and other adjuvants.
- Between the addition of each ingredient allow at least one minute to ensure thorough mixing before the new tank-mix partner is added.
- Finally add F.S.A. Spraying Oil Adjuvant. Continue filling the tank to the required volume maintaining agitation at all times.
- Only mix sufficient spray solution for immediate user. Haloxyfop and other tank-mixes should be applied immediately for best results.

Storage of spray solution:

Agitate for 1 hour every 8 hours, and agitate for 1 hour before spraying out where spray solution is not applied within 8 hours of mixing.

Cleaning Spray Equipment:

The presence of the product(s) makes it essential for the spray equipment to be thoroughly cleaned between different applications.

To rinse and decontaminate spray equipment refer to the relevant product labels for instructions.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

STORAGE AND DISPOSAL

PRECAUTION

EXPLOSION WARNING: Apparently "empty" containers may contain liquid and/or vapour which can be explosive if exposed to an ignition source at temperatures above 90°C. Such conditions may occur during cutting or welding. DO NOT cut or weld these containers. Explosion may cause injury or death. Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. DO NOT store near food, feedstuffs, fertiliser or seed. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal at an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SMALL SPILL MANAGEMENT:

Wear appropriate clothing whilst cleaning up small spills. Apply absorbent material such as earth, cat litter, sand or clay granules to the spill.

Sweep up material for disposal when absorption is complete. Dispose of the contaminated material in accordance with local or/and State recommendations.

SAFETY DIRECTIONS

Avoid inhalation or skin contact of spray mist.

WHEN USING WITH ANOTHER CHEMICAL CONSULT THE SAFETY DIRECTIONS OF THE COMPANION PRODUCT.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126).

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet which is available from the supplier.

CONDITIONS OF SALE

The sale, supply, storage, use and application of this product is beyond the control of the manufacturer, and, subject to this provision, all warranties, conditions, rights and remedies express or implied under common law, statute or otherwise, in relation to the sale, supply, storage, use or application are excluded. Four Seasons Agribusiness Pty Limited and its associated entities shall not accept any liability whatsoever (including consequential loss) or however arising (including negligence) for any damage, injury or death connected with the sale, supply, storage, use or application of this product except for liability which cannot be excluded by statute.

Combustible liquid.

Repeated exposure may cause skin dryness or cracking.

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing and eye or face protection. Take off contaminated clothing and wash before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice.

If eye irritation persists: Get medical advice.

In case of fire, use carbon dioxide, dry chemical, foam.

**IN AN EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**



Four Seasons Agribusiness Pty Ltd
287 Boorowa Street, Young, New South Wales, Australia, 2594
ABN 98 115 133 189 ACN 115 133 189 Phone 1300 449 255
www.fourseasonsag.com