### CAUTION

KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS

# VENGEANCE

pour-on lousicide for sheep

35 g/L IMIDACLOPRID

Also Contains: 300 g/L N-METHYL-2-PYRROLIDONE (solvent)

For the control of susceptible body lice (Bovicola ovis) on shorn sheep up to 7 days offshears and unshorn lambs up to 2 months of age. This product can be expected to protect sheep against with lice for 4 weeks after treatment when applied within 24 hours of shearing.

Vengeance Pour-On is for the control of neonicotinoid susceptible sheep body lice (*Bovicola ovis*) in off-shears (within 7 days of shearing) and unshorn lambs up to 2 months of age.

This product can be used on all adult sheep up to 7 days off-shears and on unshorn lambs up 2 months of age.

Resistance can develop to any chemical.

20L







## DOSAGE AND ADMINISTRATION LICE PREVENTION OFF-SHEARS

When using the product up to 7 days off-shears, apply product only with the applicator gun. For sheep over 30kg, apply half the dose as a broadband stripe either side of the midline from the mid-neck to the butt of the tail. The stripes should be no more than 10cm apart. Refer to the diagrams in the Table below.

A representative sample of animals should be weighed before treatment. Dose the mob to the heaviest animal by liveweight in each group (ewes, wethers, rams, lambs). DO NOT underdose. Where there is a large variation in size within the group (e.g. lambs), dose rate should be based on the label directions for each weight range. Drafting into two or more lines may be appropriate, to avoid excessive overdosing.

#### **DOSAGE TABLE:**

BODYWEIGHT (kg)	DOSE (mL)	METHOD	APPLY IN THE PATTERN BELOW
Below 6 kg	8	Single Stripe	
6.0 - 8.0	12		
8.1 - 10.0	15		
10.1 - 12.5	20		
12.6 - 15	25		
15.1 - 20	30		
20.1 - 30	40		
30.1 - 55	60	Double Stripe	
55.1 - 80	80		
80.1 - 100	90		
Add 10mL for each 10kg above 100kg.			

## NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

#### **GENERAL DIRECTIONS**

#### **Lice Control**

To prevent reinfestation treated sheep must not be mixed with lice free sheep until 6 weeks after treatment. Live lice on ewes treated within 6 weeks of lambing can infect lambs from these ewes. Efficacy is not affected by moderate rainfall either before or after treatment (50 mm rain 1 hour prior to treatment and/or 12.5mm 2 hours after treatment and/or 25 mm 2 hours after treatment). Treated sheep must not be mixed with lousy sheep. Do not use on sheep which have not been clearly shorn for any reason eg., mycotic dermatitis. Management practices which promote good lice control such as complete musters, accurate treatment of every animal according to label, ensuring all animals can be treated at the same time no split shearings, stock-proof fencing to prevent external introductions, quarantine and lice treatment of all newly purchased stock are essential for effective live control.

#### **Other Directions**

Treated sheep could potentially develop backline dermatitis followed by prolonged exposure to extreme heat and sunlight without access to shade. Do not leave container, hose or applicator in the sun for long periods of time.

This product may be used in conjunction with worm control drenches and at the same time as vaccination.

This product contains a blue due to identify treated sheep. The dye is scourable from the wool. The product can be detrimental to certain plastics, paints and surface finishes. Avoid contact with such surfaces.

Vengeance Pour-On is safe for use on breeding rams.

## NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

#### WITHHOLDING PERIODS

MEAT: DO NOT USE less than 21 days before slaughter for human consumption.

WOOL: DO NOT USE less than 2 months before shearing or fibre collection.

#### TRADE ADVICE

**EXPORT SLAUGHTER INTERVAL (ESI):** DO NOT USE less than 63 before slaughter for export. Before using this product, confirm the current ESI from APVMA website www.apvma.gov.au/residues or by calling Four Seasons Agribusiness on 1300 449 255.

#### **SAFETY DIRECTIONS**

Will irritate the eyes. Avoid contact with eyes. When opening the container and using the product, wear face shield or goggles. Wash hands after use.

#### FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 13 11 26. If swallowed, do NOT induce vomiting. If in eyes wash out immediately with water.

#### **ENVIRONMENTAL STATEMENTS**

**ENVIRONMENTAL PROTECTION:** Imidacloprid is highly toxic to aquatic species. DO NOT contaminate dams, ponds, rivers, waterways or drains with pesticide or used containers.

#### **DISPOSAL**

Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

#### **STORAGE**

Store below 30°C (room temperature). Store in original container, tightly closed in a safe place. Protect from light.

#### **SAFETY DATA SHEET**

Additional information is listed in the Safety Data Sheet (SDS) which is available from the supplier.

#### **CONDITIONS OF SALE**

The sale, supply, storage, use and application of this product is beyond the control of the manufacturer, and, subject to this provision, all warranties, conditions, rights and remedies express or implied under common law, statute or otherwise, in relation to the sale, supply, storage, use or application are excluded. Four Seasons Agribusiness Pty Limited and its associated entities shall not accept any liability whatsoever (including consequential loss) or however arising (including negligence) for any damage, injury or death connected with the sale, supply, storage, use or application of this product except for liability which cannot be excluded by statute.

IN AN EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE