

READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

OVERSTRIKE



Spray-On Sheep Blowfly Treatment

ACTIVE CONSTITUENT: 60 g/L CYROMAZINE



Will protect long wool sheep against fly strike for
eleven (11) weeks when used as directed.

Resistance may develop to any chemical.



FOUR SEASONS
AGRIBUSINESS



OVERSTRIKE SPRAY-ON SHEEP BLOWFLY TREATMENT

DIRECTIONS FOR USE

Restraint

DO NOT USE on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.

Contraindications

This product should not be used on sheep with less than 6 weeks wool as a reduced period of protection may result.

This product is contraindicated for use on open wounds, e.g. those resulting from marking or mulesing operations.

This product should not be applied during gusty or windy weather as spray drift will reduce the period of protection.

DOSAGE AND ADMINISTRATION


MONTHS SINCE SHEARING	TOTAL VOLUME / SHEEP (mL)	VOLUME PER TREATMENT BAND (mL)	NO. OF BANDS
FOR THE PREVENTION OF BODY STRIKE			
Up to 6	34	17	2
7	38	189	2
8	44	22	2
9	50	25	2
10	56	28	2
Lambs less than 15 kg	17	17	1
FOR THE PREVENTION OF BODY AND CRUTCH STRIKE			
Up to 6	51	17	3
7	57	19	3
8	66	22	3
9	75	25	3
10	84	28	3
Lambs less than 15 kg	34	17	2

FOR THE PREVENTION OF POLL STRIKE

Rams and sheep susceptible to poll strike should be treated. Apply at least 5 mL of OVERSTRIKE SPRAY-ON to the areas requiring protection, around the poll and horns.

CRITICAL COMMENTS

1. Use OVERSTRIKE SPRAY-ON recommended applicator gun.
2. Ensure the applicator gun is clean.
3. Calibrate applicator gun using an accurate volume measure.
4. Ensure all areas to be protected are treated.
5. When preventing body strike ensure bands overlap along the midline - **see diagram 1**.
6. This product is not ideal for treating existing strikes. Treated larvae may take 3-4 days to die. Use a diazinon knockdown product as a dressing for existing strike.
7. Heavy rain following the application of this product could diminish the period of protection.
8. OVERSTRIKE SPRAY-ON is coloured for band identification. This scourable dye will disappear shortly after treatment.



GENERAL DIRECTIONS

READ DIRECTIONS FOR USE BEFORE OPENING OR USING THIS PRODUCT.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

DO NOT DILUTE. DO NOT mix with any other product.

Apply directly from the container using OVERSTRIKE SPRAY-ON recommended applicator gun except for small lambs under 15g, the dose volume is determined by the number of months since shearing. Apply OVERSTRIKE SPRAY-ON according to the table in the Directions for use.

OVERSTRIKE SPRAY-ON may be applied to all breeds of sheep, providing protection against flystrike.

OVERSTRIKE SPRAY-ON is applied as a low volume treatment onto or near areas where protection is required. When applying, the nozzle of the applicator gun should be approximately 25 cm above the fleece, to achieve a 15 cm wide band at each pass - **see diagram 1**.

WITHHOLDING PERIODS

MEAT: DO NOT USE less than 7 days before slaughter for human consumption.

WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection.

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. Before using this product, confirm the current ESI from Four Seasons Agribusiness Pty Ltd on 1300 449 255 or the APVMA website (www.apvma.gov.au/residues).

Use of this product may result in wool residues that may not comply with European Union Environmental quality Standards.

Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre: Phone Australia 131 126.

ADDITIONAL USER SAFETY

Sheep Rehaling Period: After treatment wait until sheep are dry before rehaling. Additional information is listed in the Safety Data Sheet.

ENVIRONMENTAL PROTECTION

DO NOT contaminate dams, rivers or streams or other waterways with the chemical or used container.

DISPOSAL

Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations.

Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

STORAGE

Store below 30°C (Room Temperature). Store in original container tightly closed in dry, cool place. DO NOT store in direct sunlight. DO NOT re-use the container. Keep out of reach of children.

CONDITIONS OF SALE

The sale, supply, storage, use and application of this product is beyond the control of the manufacturer, and, subject to this provision, all warranties, conditions, rights and remedies express or implied under common law, statute or otherwise, in relation to the sale, supply, storage, use or application are excluded. Four Seasons Agribusiness Pty Limited and its associated entities shall not accept any liability whatsoever (including consequential loss) or however arising (including negligence) for any damage, injury or death connected with the sale, supply, storage, use or application of this product except for liability which cannot be excluded by statute.

APVMA Approval No: 91503/132444

**IN AN EMERGENCY, DIAL 000,
POLICE OR FIRE BRIGADE**

Batch No:

Expiry:



**FOUR SEASONS
AGRIBUSINESS**

Four Seasons Agribusiness Pty Ltd
287 Boorowa Street, Young, New South Wales, Australia, 2594
ABN 98 115 133 189 ACN 115 133 189 Phone 1300 449 255
www.fourseasonsag.com